

DEED OF AMENDMENT

relating to

LICENCE CS004C

between

OIL AND GAS AUTHORITY

and

LIVERPOOL BAY CCS LIMITED

This DEED OF AMENDMENT is made on:

22 April

2025

BETWEEN

- (1) **Oil and Gas Authority** (registered number 09666504) and whose registered address is Sanctuary Buildings, 20 Great Smith Street, London, England, SW1P 3BT ("**the OGA**"); and
- (2) **Liverpool Bay CCS Limited** (registered number 13194018) and whose registered address is Eni House, 10 Ebury Bridge Road, London, England, England, SW1W 8PZ (the "**Licensee**").

WHEREAS

- (A) On 8 October 2020 the OGA granted Carbon Dioxide Appraisal and Storage Licence CS004 to Eni UK Limited;
- (B) Eni UK Limited transferred CS004 to the Licensee on 23 June 2023;
- (C) On 3 October 2024, the OGA and the Licensee entered into a Deed of Amendment to (amongst other things) separate Carbon Dioxide Appraisal and Storage Licence CS004 into three separate licences (CS004A, CS004B and CS004C);
- (D) This Deed of Amendment relates to Carbon Dioxide Appraisal and Storage Licence CS004C (the '**Licence**')
- (E) The OGA and the Licensee are the current parties to the Licence;
- (F) The OGA has decided to grant a permit for the storage of carbon dioxide pursuant to the Licence; Clause 9 of the Licence requires that, if granted, a storage permit is annexed as Schedule 5 to the Licence;
- (G) On 4 April 2025 the OGA gave a direction pursuant to clause 9 of the Licence, that the Licensed Area under the Licence will not reduce to the area, volume or both as applicable of the storage site with effect on and from the date of grant of the storage permit and that Schedule 2 to the Licence should be amended as set out in this Deed of Amendment.
- (H) The OGA has agreed with the Licensee that the Licence shall be amended as follows.

THIS DEED WITNESSES THAT:

1. Interpretation

- 1.1. In this Deed "Effective Date" means the date of this Deed.
- 1.2. Any other terms used in this Deed shall, where the context permits, have the same meanings as in the Licence.
- 1.3. Unless the context requires otherwise, words in the singular include the plural and vice versa; words in the masculine gender include the feminine and vice versa.

2. Grant of Storage Permit

- 2.1. A storage permit in the form in Appendix 2 to this Deed is deemed to come into effect on the Effective Date.
- 2.2. A storage permit in the form in Appendix 2 to this Deed is, under clause 3 of this Deed, annexed as schedule 5 to the Licence.

3. Amendments to Licence

- 3.1. With effect on and from the Effective Date the Licence is amended as follows:
 - a. in clause 1.-(1) delete "'Storage Permit" means a permit granted in accordance with clause 9 (*Application for a storage permit*)" and replace with "'Storage Permit" means the storage permit annexed at Schedule 5 (and as modified from time to time)".
 - b. Schedule 2 is replaced in its entirety by Appendix 1 to this Deed.
 - c. Schedule 5 is replaced in its entirety by Appendix 2 to this Deed.

4. Counterparts

- 4.1. This Deed may be executed in any number of counterparts with the same effect as if the signatures on the counterparts were a single engrossment thereof
PROVIDED THAT this Deed shall not be completed until each party has signed a counterpart.

IN WITNESS WHEREOF, these presents consisting of this, the preceding pages and the Appendices are EXECUTED AS A DEED.

**This is Appendix 1 to the foregoing Deed of Amendment between the OGA and the
Licensee**

SCHEDULE 2

Pursuant to a direction given by the OGA under clause 9(2)(c) of the Licence

A polygon, the boundary of which is defined by parallel of Latitude and Meridians joining the following points, as defined in European Datum First Adjustment 1950 (ED50):

- | | |
|-------------------|---------------|
| (1) 53° 39' 45" N | 03° 15' 30" W |
| (2) 53° 39' 45" N | 03° 07' 00" W |
| (3) 53° 35' 45" N | 03° 07' 00" W |
| (4) 53° 35' 45" N | 03° 15' 30" W |
| (5) 53° 39' 45" N | 03° 15' 30" W |

The lines joining coordinates (1) to (5) are navigated by loxodromes.

**This is Appendix 2 to the foregoing Deed of Amendment between the OGA and the
Licensee**

CARBON DIOXIDE STORAGE PERMIT

Interpretation etc.

1. –(1) This permit is granted in respect of the Storage Site in accordance with clause 9 of the Licence and any reference to this permit is a reference to Schedule 5 of the Licence.

(2) In this permit, the following expressions have the following meanings:

“Authorisations” means any licences, permits, approvals and consents issued by any body of competent jurisdiction (including, for the avoidance of doubt, the consents of any devolved administration) in relation to construction, commissioning, operation or decommissioning;

“the Act” means the Energy Act 2008;

“Carbon Storage Development Plan” means the carbon storage plan approved by the OGA and referred to at Annex 3;

“Corrective Measures Plan” means the corrective measures plan approved by the OGA and referred to at Annex 3 as updated in accordance with paragraph 7;

“Economic Regulator” is as defined in Part 1 of the Energy Act 2023.

“Financial Security Provision” means the financial security to be maintained by the Operator in compliance with paragraph 9 referred to in document at Annex 3;

“Hydraulic Unit” is as detailed at Annex 2

“injection” means the injection of carbon dioxide streams into the Storage Site (and “injected” shall be interpreted accordingly);

“Monitoring Plan” means the monitoring plan approved by the OGA and referred to at Annex 3, as updated in accordance with paragraph 3;

“OGA” means the Oil and Gas Authority;

“Operational Requirements” means the operational requirements for storage approved by the OGA and referred to at Annex 4;

“Operator” means the party named as the operator at Annex 1;

“Pipeline Works Authorisation” means an authorisation for the works for the construction of pipelines or for such works and for the use of the pipelines under sections 14 and 15 of the Petroleum Act 1998.

“the Regulations” means the Storage of Carbon Dioxide (Licensing etc) Regulations 2010¹;

“Relevant Works” means any structure and any other works (of any kind) which are intended to be permanent and are neither designed to be moved from place to place without major dismantling nor intended to be used only for exploring places suitable for the storage of carbon dioxide;

“Section 7 Licence” means a licence granted to the operator under section 7 of the Energy Act 2023;

“Storage Complex” means the Storage Site and surrounding geological domain which can have an effect on overall storage integrity and security; that is secondary containment formations and the location and delimitation of it are set out at Annex 2;

¹ SI 2010/2221

“Storage Site” means the defined volume area within a geological formation used for the geological storage of CO₂ and associated surface and injection facilities at Annex 2;

“Termination Regulations” means the Storage of Carbon Dioxide (Termination of Licences) Regulations 2011².

- (3) Any expression used in this permit which is defined in regulation 1 of the Regulations or in the Act and not otherwise defined has the meaning given by that regulation or Act.
- (4) Any reference in this permit to a numbered regulation is to that regulation of the Regulations.
- (5) Any reference in this permit to a paragraph or Annex is a reference (unless otherwise stated) to a paragraph of, or Annex to, this permit.
- (6) The Annexes to this permit form part of the permit and any conditions, documents referred to or other provisions in an Annex will be deemed to be included in this permit.

Acceptance and injection of CO₂

2.-(1) In order to be injected into the Storage Site the CO₂ stream must consist overwhelmingly of carbon dioxide and must in particular satisfy the conditions in paragraph 2(3).

(2) The stream must comply with the requirements set out in the Operational Requirements.

(3) The conditions are that the stream

² SI2011/1483

- a) must contain no waste or other matter added for the purposes of disposal;
- b) may contain incidental substance or trace substances (to the extent permitted by any legislation applicable to those substances), but only if the concentrations of all such substances are below the levels that would –
 - i. adversely affect the integrity of the Storage Site or the relevant transport infrastructure, or
 - ii. pose a significant risk to the environment or human health.

(4) In paragraph 2(3)–

- a) “incidental substance” means a substance which has become associated with CO₂ either at its original source or as a result of the process of capture or injection; and
- b) “trace substance” means a substance which has been added to the CO₂ in order to assist in the monitoring and verifying of its migration after injection.

(5) Before accepting and injecting the stream the Operator must ensure that the conditions in paragraphs 2(1) to (3) and paragraph 5 of Annex 4 can be met, by carrying out –

- a) an analysis of the composition of the stream, and in particular of any corrosive substances that may be present in it, and
- b) an assessment of the risk that the stream will fail to comply with those conditions.

(6) The Operator must maintain a register, at a place and in a manner approved by the OGA, of the quantities and properties of the CO₂ streams that have

been delivered to, and injected in, the Storage Site (including the composition of those streams).

- (7) The Operator will not commence injection unless the Licensees have complied with the terms and conditions of the Licence where obligations have arisen under it in the period prior to the commencement of injection.
- (8) If following commencement of injection the OGA considers that the terms and conditions of this permit or the Licence are not being complied with in a manner which, in the OGA's opinion, is appropriate to manage the risk of leakage or harm to the environment or human health then, on written notice from the OGA to the Operator, the Operator shall suspend injection by the date stated in such notice until further notice is given by the OGA that injection may recommence and the OGA may include conditions for recommencement of injection in the notice to suspend injection.

Monitoring

- 3.-(1) The Operator must carry out a programme of monitoring (as described in the Monitoring Plan) of the storage complex and injection facilities, for the purposes specified in paragraph 3(3)
- (2) Such monitoring must include (where possible) the monitoring of the CO₂ plume, and (where appropriate) of the surrounding environment.
- (3) The purposes are –
 - a) the comparison of the actual and modelled behaviour of the CO₂ (and the naturally-occurring formation water) in the Storage Site;
 - b) the detection of any significant irregularities;
 - c) the detection of any migration of CO₂;

- d) the detection of any leakage of CO₂;
- e) the detection of any significant adverse effects on the surrounding environment, and in particular on –
 - i. drinking water,
 - ii. human populations, and
 - iii. users of the surrounding biosphere;
- f) the assessment of the effectiveness of any corrective measures taken;
- g) updating the assessment of the safety and integrity, both short- and long-term, of the Storage Complex (including the assessment of whether the stored CO₂ will be completely and permanently contained).

(4) The Monitoring Plan must be updated in accordance with Annex II to the Directive and in any event every five years from the date of the grant of this permit and every five years thereafter (and, for the avoidance of doubt, from the approval of that updated plan) in order to take account of –

- a) changes to the assessed risk of leakage;
- b) changes to the assessed risks to the environment and human health;
- c) new scientific knowledge; and
- d) improvements in best available technology.

(5) The Operator must submit the updated plan for approval by the OGA.

(6) The OGA may –

- a) approve that plan, or
- b) require the Operator to make such modifications to it as the OGA (after consulting the Operator) considers necessary;

and the updated monitoring plan is the plan as so approved or modified.

- (7) Following the approval or modification of the plan under paragraph 3(6), the OGA will give notice to the Operator that the Monitoring Plan is the plan as approved or modified and the date of the approval or modification.
- (8) Paragraphs 3(4) to 3(7) apply to the further updating of an updated plan as they apply to the updating of the original plan.
- (9) After the Storage Site has been closed and until the Licence is terminated, the Operator must continue to monitor the Storage Site in accordance with this paragraph 3 as if any reference to the Monitoring Plan is to the post-closure plan.

Reporting, and notification of leakages and significant irregularities

4. (1) The Operator must send to the OGA a report in respect of each reporting period, containing the information specified in paragraph 4(5).
- (2) The report must be sent to the OGA no later than four weeks after the end of the relevant reporting period.
- (3) Unless the OGA determines otherwise under paragraph 4(4), the reporting periods are the period of one year beginning with the grant of this permit and each subsequent yearly period.
- (4) At any time (including during a current period) the OGA may notify the Operator (beginning with the next reporting period) reporting periods are to be a period of less than one year that is specified in the notice.
- (5) The information is –
- a) the results of the monitoring carried out under paragraph 3(1)
(including details of the monitoring technology employed);

- b) the quantities, properties and composition of the CO₂ streams registered by the Operator under paragraph 2(6);
 - c) proof that the financial security required by paragraph 9 has come into effect and remains in force;
 - d) any other information requested by the OGA that the OGA considers relevant for the purposes of assessing compliance with the conditions of this permit or for increasing knowledge of the behaviour of the CO₂ stored at the Storage Site and notified to the Operator in writing.
- (6) If the Operator becomes aware of any leakages or significant irregularities, the Operator must immediately notify the OGA.
- (7) If the Operator becomes aware of any leakages, or of any significant irregularities which imply risk of leakage, the Operator must immediately notify the person (if any) who is the regulator in relation to emissions from the Storage Site for the purposes of climate change legislation.
- (8) After the Storage Site has been closed and until the Licence is terminated, the Operator must continue to comply with its reporting and notification obligations in accordance with this paragraph 4 but paragraph 4(5)(b) will not apply.
- (9) The Operator must inform the OGA that injection has commenced by no later than 7 calendar days after such commencement.

Notification and implementation of changes

- 5.-(1) The Operator must notify the OGA of any change planned in the operation of the Storage Site, including any change concerning the Operator.
- (2) A notification under paragraph 5(1) must specify the target date.

- (3) Except where paragraph 5(4) applies, such notification must be made at least three months before the target date.
- (4) If the change solely concerns the Operator, the notification must be made at least four weeks before the target date.
- (5) The change may not be implemented before the later of –
 - a) the target date, or any date notified under regulation 11(4)(b); and
 - b) the date notified by the OGA in accordance with regulation 11(1)(b)(ii).
- (6) The change may not be implemented if the OGA makes a notification to that effect under regulation 11(2)(b).
- (7) Notwithstanding paragraphs 5(5) and 5(6), the change may be implemented on or after the later of the dates mentioned in paragraph 5(5)(a) if the OGA has not before then made a notification under regulation 11(1)(b)(ii) or 2(b).

Review, and modification or revocation of this permit

6. This permit is to be reviewed, and where necessary modified or (as a last resort) revoked, by the OGA in accordance with regulation 11 and upon this permit being so modified the OGA will direct that this permit is amended accordingly.

Corrective measures

- 7.-(1)** If the Operator becomes aware of any leakages or significant irregularities, the Operator must take the necessary corrective measures and measures for the protection of human health.
- (2) Without prejudice to regulation 10(3), the measures taken must include those set out in the Corrective Measures Plan.
 - (3) The Corrective Measures Plan must be updated every five years from the date of the grant of this permit and every five years thereafter (and, for the

avoidance of doubt, from the approval of that updated plan) in order to take account of –

- a) changes to the assessed risk of leakage;
- b) changes to the assessed risks to the environment and human health;
- c) new scientific knowledge; and
- d) improvements in best available technology.

(4) The Operator must submit the updated plan for approval by the OGA.

(5) The OGA may –

- a) approve that plan, or
- b) require the Operator to make such modifications to it as the OGA (after consulting the Operator) considers necessary;

and the updated Corrective Measures Plan is the plan as so approved or modified.

(6) Following the approval or modification of the plan under paragraph 7(5), the OGA will give notice to the Operator that the Corrective Measures Plan is the plan as approved or modified and the date of the approval or modification.

(7) Paragraphs 7(3) to 7(6) apply to the further updating of an updated plan as they apply to the updating of the original plan

(8) Without prejudice to the Operator's obligation under regulation 10(4)(b), the Operator will:

- a) Include measures taken or to be taken by the OGA (and notified to the Operator in writing) in a correction or remediation plan and submit the same to the Economic Regulator for approval at the earliest opportunity;

b) take all reasonable steps to cooperate with the OGA in ensuring that all necessary information, required by the Economic Regulator, for the purpose of approving a correction or remediation plan, is provided to the Economic Regulator without delay.

(9) Without prejudice to the Operator's obligation under regulation 10(4)(b), the Operator will account to the OGA for costs recovered by the Operator, including under paragraph 7(8), any insurance, guarantee or claim against a third party where such costs have been incurred by the OGA under regulation 10(4)(a).

(10) After the Storage Site has been closed and until the Licence is terminated, the Operator must comply with its obligations to take corrective measures in accordance with this paragraph 7 as if any reference to the Corrective Measures Plan is to the post-closure plan.

Undue Interference

8.– (1) The Operator must take all necessary steps to prevent undue interference with other uses of the area surrounding the Storage Site.

(2) The OGA may provide information in relation to this permit or obtained under it to other persons to prevent undue interference with other users of the area surrounding the Storage Site.

Financial Security

9.–(1) The Operator must maintain financial security that –

- a) is of an amount ("the secured amount") sufficient to ensure that the obligations specified in paragraph 9(7) of this permit can be met,
- b) is in force before the commencement of injection, and

- c) remains in force until the Licence is terminated;
 - d) complies with the Financial Security Provision (including as modified under paragraph 9(10) to (12)).
- (2) The Operator must provide the OGA with evidence that it has complied with paragraph 9(1) no later than 6 months prior to the commencement of injection and must not commence injection until the OGA has confirmed to the Operator in writing that it has complied with this paragraph 9(2).
- (3) The general rule is that the OGA must decide if the evidence provided by the Operator pursuant to paragraph 9(2) complies with paragraph 9(1) within three months of receiving it, but the OGA may delay its decision by notifying the Operator in writing.
- (4) If this permit is revoked the security must remain in force –
 - a) until a new storage permit is granted, or
 - b) if the Storage Site is closed following such revocation, until the Licence is terminated.
- (5) Following each report made by the Operator in accordance with paragraphs 4(1) to 4(5) of this permit, the OGA is to assess whether the secured amount is appropriate in the light of –
 - a) the assessed risk of leakage, and
 - b) the estimated costs of meeting the obligations in paragraph 9(7) of this permit.
- (6) If, following that assessment, the OGA decides that the secured amount is to be adjusted –
 - a) the OGA must notify the Operator of the new amount that is required, and

- b) where the secured amount is less than that new amount, the Operator must ensure that it is increased to the new amount within three months of receiving that notification.

(7) The obligations are –

- a) all obligations of the Operator arising under this permit, including those arising in respect of the closure of the Storage Site and during the period between such closure and the termination of the Licence;
- b) the obligation to pay the OGA's costs under regulation 10(4)(b) or 12(6);
- c) any obligations of the Operator arising in respect of the Storage Site under climate change legislation which relate to –
 - i. monitoring, reporting or verification of greenhouse gas emissions; or
 - ii. the offset of emissions which are leakage,

of which the OGA has notified under paragraph 9(8) of this permit; and

- d) the obligation to provide the financial contribution to the OGA in accordance with regulation 10(5) of the Termination Regulations.

(8) The OGA must notify the Operator of any climate change legislation it considers gives rise to obligations which should be taken into account under paragraph 9(7)(c).

(9) Where this permit is revoked –

- a) the obligations of the Operator under this paragraph continue in effect until the licence is terminated, but

- b) the assessment by the OGA under paragraph 9(5) is to be made at such intervals as the OGA may determine.

(10) The Financial Security Provision can only be amended with the approval in writing of the OGA.

(11) If the financial security provided by the Operator under paragraph 9(1) becomes void or invalid, is cancelled, terminated, is not renewed following expiry or is otherwise different from the financial security so provided (whether the difference relates to the Operator, the issuer or for any other reason) or if the Operator becomes aware that such circumstances will arise, the Operator will immediately notify the OGA and seek approval of a modification to the Financial Security Provision including the substitution of any instrument of financial security in order to ensure compliance with the paragraphs 9(1)(a) to (c).

(12) Following the modification of the Financial Security Provision under paragraph 9(11), the OGA will give notice to the Operator that the Financial Security Provision is the document as approved or modified and the date of the approval or modification.

Change in control of the Operator

10.-(1) Where the Operator is a company (and in this paragraph 10 references to "the company" are to be read as if they are references to the Operator) a change in control of the Operator is not permitted without the consent of the OGA.

(2) There is a "change in control" of a company if a person takes control of the company, not having previously been a person who controlled the company.

(3) If a change in control of a company is contemplated, the company must apply in writing to the OGA for consent at least three months before the date on which it is proposed that the change would occur (if consent were given).

(4) The OGA may—

- (a) consent to the change in control unconditionally,
- (b) consent to the change in control subject to conditions, or
- (c) refuse consent to the change in control.

(5) If the OGA proposes to grant consent subject to any condition or to refuse consent, the OGA must, before making a final decision—

- (a) give the company an opportunity to make representations, and
- (b) consider any representations that are made.

(6) The general rule is that the OGA must decide an application within three months of receiving it, but the OGA may delay its decision by notifying the interested parties in writing.

(7) Conditions as mentioned in paragraph 10(4)(b) may be imposed on the person taking control of the company (as well as on the company), and may include—

- (a) conditions relating to the arrangements for the change in control, including the date by which it must occur,
- (b) conditions relating to the performance of activities permitted by this permit, and
- (c) financial conditions.

(8) The OGA's decision on the application, and any conditions as mentioned in paragraph 10(4)(b), must be notified in writing to the interested parties.

(9) In this paragraph 10 "the interested parties" means—

- (a) the company,
- (b) the person who (if consent were granted) would take control of the company.

(10) For the purposes of this paragraph 10, "control" of a company is to be construed in accordance with sections 450(2) to (4) and 451(1) to (5) of the Corporation Tax Act 2010, but read as if—

(a) for the words "the greater part" wherever they occur in section 450(3), there were

substituted "one-third or more",

(b) in section 451(4) and (5), for "may" there were substituted "must", and

(c) in section 451(4) and (5), any reference to an associate of a person included only—

(i) a relative (as defined in section 448(2) of that Act) of the person,

(ii) a partner of the person, and

(iii) a trustee of a settlement (as defined in section 620 of the Income Tax (Trading and Other Income) Act 2005) of which the person is a beneficiary.

Conditions for Closure

11.—(1) The conditions for closure referred to at Schedule 3 of the Licence are:

(a) The maximum quantity of CO₂ authorised to be stored as set out in the Operational Requirements is reached; or

(b) The maximum average reservoir pressure permitted as set out in the Operational Requirements is reached; or

(c) The maximum permitted period of injection set out in the Operational Requirements has expired; or

(d) the OGA directs closure of the Storage Site provided that, prior to making such a direction:

- (i) there has been a period of not less than sixty consecutive calendar months, after commencement of injection, in which the quantity of CO2 injected is zero (including, for the avoidance of doubt, where injection is suspended under paragraph 2(8) of this permit); and
- (ii) the OGA has consulted the Operator and the Economic Regulator and taken into consideration the status of the applicable Section 7 Licence.

(2) The provisional post-closure plan, the terms of which have been determined under regulation 13(2), is the provisional post-closure plan at Annex 3.

(3) Without prejudice to regulation 13(3), the provisional post-closure plan must be updated every five years from the date of the grant of this permit and every five years thereafter (and, for the avoidance of doubt, from the approval of that updated plan), in order to take account of –

- a) the anticipated date for closure of the Storage Site;
- b) an analysis of relevant risks;
- c) current best practice;
- d) any improvements in the available technology.

(4) The Operator must submit the updated plan for approval by the OGA.

(5) The OGA may –

- a) approve that plan, or
- b) require the Operator to make such modifications to it as the OGA (after consulting the Operator) considers necessary;

and the updated provisional post-closure plan is the plan as so approved or modified.

- (6) Following the approval or modification of the plan under paragraph 11(5), the OGA will give notice to the Operator that the provisional post-closure plan is the plan as approved or modified and the date of the approval or modification.
- (7) Prior to the closure of the Storage Site:
- a) the Operator must submit a proposed post-closure plan to the OGA for approval.
 - b) that proposal must be based on the provisional post-closure plan, subject to any modifications proposed by the Operator.
 - c) In deciding whether to propose any such modifications, the operator must take into account the matters at paragraph 11(3)(b) to (d)

Consent to Relevant Works

12. –(1) The OGA hereby consents, for the purposes of paragraph 1 of clause 14 of the Licence, to the erection or carrying out of the Relevant Works set out in the Carbon Storage Development Plan, Monitoring Plan and Corrective Measures Plan subject to the conditions set out in those plans.

(2) The Operator must obtain and comply with all Authorisations applicable to the Relevant Works consented to under paragraph 12(1).

Extraction of CO₂

13. The Operator must not (and must not permit any other person to) extract (which includes release) CO₂ into the atmosphere from the transport network (as defined in the relevant Pipeline Works Authorisation(s)), or from the Storage Site except with the prior written consent of the OGA and in accordance with any conditions subject to which consent is given.

Special Conditions

14. The Operator must comply with the conditions at Annex 5

Miscellaneous

15.-(1) Nothing in this permit affects the rights of the OGA under any applicable legislation or regulation.

(2) Nothing in this permit affects the obligations of the Operator under any applicable legislation or regulation.

(3) The Operator must obtain and comply with all Authorisations applicable to the operation of a Storage Site.

(4) Where the OGA is aware of any legislation that it considers may give rise to any changes to the obligations under this permit, the OGA will, following consultation with the Operator, give notice to the Operator that this permit is modified accordingly and the date of such modification.

Annex 1

Operator

The name of the Operator is Liverpool Bay CCS Limited of which the registered company number is 13194018 and registered address is Eni House, 10 Ebury Bridge Road, London, England, England, SW1W 8PZ.

Annex 2

Location and delimitation of the storage site, storage complex and relevant information on the hydraulic unit

Storage Site

1. The storage site is the depleted Lennox hydrocarbon field and is to be known as Lennox CS.
2. The storage site is comprised of a volume area within the storage unit and associated surface and injection facilities.
3. The storage unit is the Triassic Sherwood Sandstone Group between the top Ormskirk Sandstone Formation and the base Rottington Sandstone Member.
4. The storage site area is delimited laterally by the original hydrocarbon water contact at 1036m TVDSS and contained within the storage unit(s) as set out in the co-ordinates of the storage site.
5. Subject to paragraphs 6 and 7 of this Annex 2, the associated surface and injection facilities are described in section 8.1.5 (Lennox Satellite Platform) and in table 2.2 at section 2.3 (Proposed Drilling Programme) of the Carbon Storage Development Plan.
6. The storage site does not include pipelines authorised under the relevant Pipeline Works Authorisation.
7. For the avoidance of doubt, the storage site does not include offshore cables described in paragraph 8.1.2 (Offshore Power Cables, Fibre Optics (F0), and Inter Platform Cables) and Figure 2-3 (LBA CCS Approved T&S Network) of the Carbon Storage Development Plan.

Annex 2 (continued)

8. The boundary of the storage site is defined by parallels of Latitude and Meridians joining the following points, as defined on European Datum First Adjustment 1950:

	Latitude	Longitude
(1)	53° 39' 15" N	03 ° 12' 15" W
(2)	53° 39' 15" N	03 ° 09' 45" W
(3)	53° 38' 45" N	03 ° 09' 45" W
(4)	53° 38' 45" N	03 ° 09' 15" W
(5)	53° 38' 30" N	03 ° 09' 15" W
(6)	53° 38' 30" N	03 ° 08' 45" W
(7)	53° 38' 15" N	03 ° 08' 45" W
(8)	53° 38' 15" N	03 ° 08' 15" W
(9)	53° 37' 00" N	03 ° 08' 15" W
(10)	53° 37' 00" N	03 ° 09' 00" W
(11)	53° 36' 45" N	03 ° 09' 00" W
(12)	53° 36' 45" N	03 ° 10' 45" W
(13)	53° 37' 00" N	03 ° 10' 45" W
(14)	53° 37' 00" N	03 ° 12' 00" W
(15)	53° 37' 15" N	03 ° 12' 00" W
(16)	53° 37' 15" N	03 ° 13' 00" W
(17)	53° 37' 30" N	03 ° 13' 00" W
(18)	53° 37' 30" N	03 ° 14' 00" W
(19)	53° 38' 15" N	03 ° 14' 00" W
(20)	53° 38' 15" N	03 ° 13' 00" W
(21)	53° 38' 45" N	03 ° 13' 00" W
(22)	53° 38' 45" N	03 ° 12' 15" W
(23)	53° 39' 15" N	03 ° 12' 15" W

Annex 2 (continued)

Location and delimitation of the storage site, storage complex and relevant information on the hydraulic unit (continued)

Storage Complex

The storage complex consists of the Storage Site and surrounding geological domain which can have an effect on overall storage integrity and security. The surrounding geological domain consists of:

1. The top of the geological complex is the top of the Triassic Mercia Mudstone Group.
2. The storage site seal within the storage complex is provided by the Triassic Mercia Mudstone Group.
3. There is no secondary containment.
4. The underburden is the Permian Manchester Marl Formation.
5. The storage complex is delimited laterally by the mapped structural spill point at 1040m TVDSS and contained within the co-ordinates of the storage complex.

The boundary of which is defined by parallels of Latitude and Meridians joining the following points, as defined on European Datum First Adjustment 1950:

	Latitude	Longitude
(1)	53° 39' 15" N	03 ° 12' 15" W
(2)	53° 39' 15" N	03 ° 09' 45 W
(3)	53° 38' 45" N	03 ° 09' 45" W
(4)	53° 38' 45" N	03 ° 09' 15" W
(5)	53° 38' 30" N	03 ° 09' 15" W
(6)	53° 38' 30" N	03 ° 08' 45" W
(7)	53° 38' 15" N	03 ° 08' 45" W
(8)	53° 38' 15" N	03 ° 08' 15" W
(9)	53° 37' 00" N	03 ° 08' 15" W
(10)	53° 37' 00" N	03 ° 09' 00" W
(11)	53° 36' 45" N	03 ° 09' 00" W

Annex 2 (continued)

(12)	53° 36' 45" N	03 ° 10' 45" W
(13)	53° 37' 00" N	03 ° 10' 45" W
(14)	53° 37' 00" N	03 ° 12' 00" W
(15)	53° 37' 15" N	03 ° 12' 00" W
(16)	53° 37' 15" N	03 ° 13' 00" W
(17)	53° 37' 30" N	03 ° 13' 00" W
(18)	53° 37' 30" N	03 ° 14' 00" W
(19)	53° 38' 15" N	03 ° 14' 00" W
(20)	53° 38' 15" N	03 ° 13' 00" W
(21)	53° 38' 45" N	03 ° 13' 00" W
(22)	53° 38' 45" N	03 ° 12' 15" W
(23)	53° 39' 15" N	03 ° 12' 15" W

Hydraulic Unit

1. The hydraulic unit comprises the Triassic Sherwood Sandstone Group.
2. The hydraulic unit area is delimited by east-west and north-south faults within the East Deemster Basin and the north-south trending Formby Point Fault.

Annex 3

The **Carbon Storage Development Plan** is the approved plan contained in a document entitled Lennox CS Carbon Storage Development Plan, rev. 02, dated 16 September 2024.

The **Monitoring Plan** is the approved plan contained in a document entitled Lennox CS Monitoring Plan, rev. 03, dated 13 February 2025.

The **Corrective Measures Plan** is the approved plan contained in a document entitled Lennox CS Corrective Measures Plan, rev.03, dated 13 February 2025.

The **Financial Security Provision** is the financial security maintained by the Operator in compliance with paragraph 9 set out in a document entitled Hynet North West project Lennox CS Proposal for Financial Security, rev .06, dated 14 March 2025.

The **Provisional Post-Closure Plan** is the document entitled Lennox CS Provisional Post Closure Plan, rev. 03, dated 13 February 2025.

Annex 4

Operational Requirements

- 1. Earliest start date for commencement of CO₂ injection: 1 July 2028**
- 2. The latest date that CO₂ injection may commence is twenty four calendar months from the date in paragraph 1 of this Annex.**
- 3. Maximum period of injection: 25 Years** from the date at of commencement of injection.
- 4. Maximum quantity of CO₂ authorised to be stored: 38 MT**
- 5. Composition of CO₂ stream: ≥ 95.0 mol% CO₂, ≤ 50 ppm mol water**
- 6. Maximum average reservoir pressure: 1566.4 psia at 3258 ft TVDSS**
- 7. Maximum injection rate: 1.6 MTPA** average for the gross CO₂ stream for the Storage Site, provided that the maximum quantity of CO₂ must not exceed the quantity specified at paragraph 4. of Annex 4.
- 8. Maximum injection rate per well: 1.1 MTPA**
- 9. Maximum well head injection pressure: 1242 psia after 25 years from commencement of injection**
- 10. Maximum bottom hole pressure (datum depth ref needed): 1566.4 psia at 3258 ft TVDSS**
- 11. Minimum downhole temperature: 4°C**

Annex 5
Special Conditions

Commissioning Plan

A.-(1) The Operator shall prepare a proposed Commissioning Plan and, no later than 6 months prior to the date in paragraph 1 of Annex 4 to this permit (or such later date as the OGA may direct), submit it, in final form and capable of being accepted by the OGA without further clarification, amendment or submission, to the OGA;

where “Commissioning Plan” means a document (or documents) which set(s) out the Operator’s procedure(s) and schedule for commissioning the CO₂ storage operations in an efficient and timely manner and includes (as a minimum):

- (a) details of the sources of CO₂;
- (b) procedures for the commencement of operations;
- (c) CO₂ Equation of State and system design, each as set out in the
Carbon Storage Development Plan;

and takes account of the OGA’s published guidance relating to commissioning plans in place at the relevant time.

(2) The OGA may -

- (a) accept that plan; or
- (b) require the Operator to make such modifications to the plan as the
OGA (after consulting the Operator) considers necessary;

and the Commissioning Plan shall be the plan as so accepted or modified.

(3) In the event that, prior to the commencement of commissioning the CO₂ storage operations, the Operator wishes to amend the Commissioning Plan, it shall

Annex 5 (continued)

submit such proposed amendments to the OGA and the provisions of paragraph A(2) shall apply.

Storage Site Management Plan

B.-(1) The Operator shall prepare a proposed Storage Site Management Plan and, no later than 6 months prior to the date in paragraph 1 of Annex 4 to this permit (or such later date as the OGA may direct), submit it, in final form and capable of being accepted by the OGA without further clarification, amendment or submission, to the OGA;

where "Storage Site Management Plan" means a document which sets out the principles and objectives of the Operator for making storage management decisions and conducting storage management operations and (as a minimum):

- (a) reflects learnings from development drilling and data acquisition;
- (b) the operating strategy used to define reservoir and wells safe operating limits;

and takes account of the OGA's published guidance relating to storage site management plans in place at the relevant time.

(2) The OGA may -

- (a) accept that plan; or
- (b) require the operator to make such modifications to the plan as the OGA (after consulting the Operator) considers necessary;

and the Storage Site Management Plan shall be the plan as so accepted or modified.

Annex 5 (continued)

- (3) In the event that, prior to commencement of injection, the Operator wishes to amend the Storage Site Management Plan, it shall submit such proposed amendments to the OGA and the provisions of paragraph B(2) shall apply.

Metering and Measurement Plan

C.-(1) The Operator shall prepare a proposed Metering and Measurement Plan and, no later than 12 months prior to the date in paragraph 1 of Annex 4 to this permit (or such later date as the OGA may direct), submit it, in final form and capable of being accepted by the OGA without further clarification, amendment or submission, to the OGA;

where "Metering and Measurement Plan" means a document (or documents) which set(s) out the Operator's plans for metering and measuring CO₂ and includes (as a minimum):

- (a) details of the measurement system and method(s) adopted and to be implemented by the Operator;
- (b) details of the Operator's proposed recalibration and/or re-verification strategy for such measurement system and method(s);

and takes account of the OGA's published guidance relating to the measurement of CO₂ in place at the relevant time.

(2) The OGA may -

- (a) accept that plan;
- (b) require the operator to make such modifications to it as the OGA (after consulting the Operator) consider necessary;

Annex 5 (continued)

and the Metering and Measurement Plan shall be the plan as so accepted or modified.

- (3) In the event that, prior to commencement of injection, the Operator wishes to amend the Metering and Measurement Plan, it shall submit such proposed amendments to the OGA and the provisions of paragraph C(2) shall apply.

Compliance with Plans

D. The Operator shall comply with the Commissioning Plan, the Storage Site Management Plan and the Metering and Monitoring Plan.

Stewardship Reviews

E. The Operator shall participate in a review meeting with the OGA at least every three months (or at such other interval as the OGA may determine) for the purposes of enabling the OGA to monitor Operator decisions and project progress. The first such review shall take place not more than three calendar months after the date of this permit and thereafter until twelve calendar months following the commencement of injection.

Geophysical Methods

F. The Operator shall:

- (a) by no later than **6 months** prior to commencement of injection, undertake a 4D seismic feasibility study that incorporates data acquired during the drilling of the injection and monitoring wells and produce to the OGA the written report containing the results of the feasibility study along with all supporting data and technical information; and

Annex 5 (continued)

- (b) if the conclusion of the study is that 4D seismic is shown not to be feasible, by no later than **3 months** prior to commencement of injection, propose to the OGA, in writing, an alternative method of monitoring including in such proposals details of supporting technical information justifying the proposed method.

The Monitoring Plan must be updated to take account of the monitoring methods to be adopted according to the study results in (a) and (b) no later than **3 months** prior to commencement of injection and paragraphs 3(5) to (8) of this permit will apply.

G. The Operator shall:

- (a) by no later than **30 June 2026**, undertake a 4D gravity acquisition feasibility study and produce to the OGA the written report containing the results of the feasibility study along with all supporting data and technical information; and
- (b) if the conclusion of the study is that 4D gravity is shown not to be feasible, by no later than **31 December 2027**, propose to the OGA, in writing, an alternative method of monitoring including in such proposals details of supporting technical information justifying the proposed method.

The Monitoring Plan must be updated to take account of the monitoring methods to be adopted according to the study results in (a) and (b) no later than **31 December 2027** or 6 months prior to commencement of injection, whichever is the soonest, and paragraphs 3(5) to (8) of this permit will apply.

Annex 5 (continued)

H. The Operator must provide to the OGA such information and documentation as the OGA reasonably requests for the purpose of understanding and verifying the conclusions of the studies referred to at paragraphs F and G.

Operatorship

I. The Operator shall, when so required by the OGA giving reasonable written notice, provide such evidence as the OGA may require demonstrating, to the OGA's satisfaction, that at that time the Operator:

- (a) is technically competent (including in the operation of environmental management systems);
- (b) is financially sound;
- (c) can be relied upon to carry out the functions of an operator; and
- (d) has in place an appropriate programme of professional and technical development and training.

Abandonment and Suspension of Wells

J.-(1) Unless the OGA directs otherwise the Operator must ensure that injection does not commence until each Abandoned Well has been abandoned in accordance with the consent issued by the OGA.

(2) The Operator must, no later than 6 months prior to the commencement of injection, provide the OGA with evidence that each Abandoned Well has been abandoned in accordance with the consent issued by the OGA.

Annex 5 (continued)

(3) Unless the OGA directs otherwise the Operator must ensure that injection does not commence until each Suspended Well has permanent barriers installed to seal it off in accordance with the consent issued by the OGA.

(4) The Operator must, no later than 6 months prior to the commencement of injection, provide the OGA with evidence that each Suspended Well has had permanent barriers installed to seal it off in accordance with the consent issued by the OGA.

(5) The Operator must not commence injection until the OGA has confirmed to the operator in writing that it has complied with paragraphs J(2) and J(4).

(6) The general rule is that the OGA must decide if it is satisfied that the Operator has complied with paragraphs J(2) and J(4) within 3 months of receiving all evidence required under those paragraphs but the OGA may delay its decision by notifying the Operator in writing.

(7) Nothing in this paragraph J affects any requirement to obtain consent to the abandonment of an Abandoned Well or Suspended Well under any licence (including, for the avoidance of doubt, the Licence), consent or other Authorisations issued by the OGA or any other body of competent jurisdiction nor the obligation to comply with any conditions and requirements under such licence, consent or other Authorisations.

For the purpose of this paragraph J:

“Abandoned Well” means the wells and boreholes described as “Status at Injection Start Up – Decommissioned” in Table 16 (Legacy Well Screening – Lennox Wells to

Annex 5 (continued)

be Analysed in More Detail) at paragraph 4.2.2.1 (Well Screening) of the Lennox CS Containment Risk Assessment dated 24th February 2025.

“Suspended Well” means the wells and boreholes described as “Status at Injection Start Up – Side-tracked” in Table 16 (Legacy Well Screening – Lennox Wells to be Analysed in More Detail) at paragraph 4.2.2.1 (Well Screening) of the Lennox CS Containment Risk Assessment dated 24th February 2025.

Well 110/15-6

K.- (1) Without prejudice to the generality of paragraph J of Annex 5 of this permit, prior to commencement of injection, in respect of well 110/15-6, the Operator must procure that remedial works are completed in accordance with the Basis of Design including carrying out

cement barrier verification steps in accordance with the Basis of Design (“Remedial Works”).

(2) Following completion of Remedial Works and no later than 12 months prior to scheduled commencement of injection, the Operator must provide the OGA with evidence that it has complied with paragraph K(1).

(3) The Operator must not commence injection until the OGA has confirmed to the Operator in writing that it has complied with paragraph K(2).

(4) The general rule is that the OGA must decide if it is satisfied that the Operator has complied with paragraph K(2) within 3 months of receiving all evidence submitted under that paragraph, but the OGA may delay its decision by notifying the

Annex 5 (continued)

Operator in writing. The OGA may withhold confirmation under this paragraph K(4) if the Operator has not complied with paragraphs K(5) to K(7).

(5) From the date Remedial Works commence until the date they are completed, the Operator will procure that the OGA is provided with a copy of unabridged daily operational reports relating to the Remedial Works no later than the day after the operations reported upon in them have taken place, and which daily reports will include the results of any cement barrier verification steps carried out.

(6) The operator will provide to the OGA evidence that the results of the cement barrier verification steps meet the acceptance criteria as notified to the OGA on 7 March 2025 (which may be provided in the unabridged daily operational reports).

(7) No later than 14 days after completion of the Remedial Works, the Operator will procure that the OGA is provided with an independent well examiner's checklist of Remedial Works, completed and signed by the well examiner.

(8) The Operator will not cut the well head of well 110/15-6 until it has complied with paragraphs K(2) and (5) to (7) above and provided to the OGA a drop down video survey (as described in the Monitoring Plan) of a quality and in a form satisfactory to the OGA.

For the purpose of this paragraph K:

"Basis of Design" means Lennox 110/15-6 Well Intervention & Abandonment Basis of Design Revision 04 dated 19 February 2025 (as modified under a well consent or variation to a well consent issued by the OGA).

Signed as a deed for and on behalf of the Oil and Gas Authority by:

_____ (signature) _____ (full name)

(Director/Secretary/other authorised person – delete as appropriate)

on 22/04/2025 (date), at _____ (town),

and either:

_____ (signature) _____ (full name)

(Director/other authorised person – delete as appropriate)

on _____ (date), at _____ (town),

or in the presence of this witness:

_____ (signature) _____ (full name)

of _____ (address).

Signed* as a deed for and on behalf of Liverpool Bay CCS Limited by:

(signature) _____ (full name)
(Director/~~Secretary/other authorised person – delete as appropriate~~)

on 7th April, 2025 (date), at _____ (town),

and either:

(signature) _____ (full name)
(Director/~~other authorised person – delete as appropriate~~)

on 07/04/2025 (date), at _____ (town),

or in the presence of this witness:

(signature) _____ (full name)

of _____ (address).

* This deed must be executed by two authorised signatories (as defined in section 44(3) Companies Act 2006). They may be either two directors or a director and the company secretary. If only one authorised signatory signs, that person must be a director of the company and a second signatory must witness the director's signature.